5/

## Application No. Applicant(s) ICHIKAWA, KENJI 10/810,668 Notice of Allowability Examiner **Art Unit** 2814 Thao X. Le -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 10/20/06. 2. The allowed claim(s) is/are 2,3 and 5-32. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🔯 All b) Some\* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: . . . Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date \_\_\_\_\_. (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date \_ 7. X Examiner's Amendment/Comment 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material 9. Other \_\_\_\_.

Art Unit: 2814

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with the Applicant's Attorney, Mr. Robert Berdo, on 04 Dec. 2006.

The application has been amended as follows:

## In the claim:

- a. Claim 3 lines 2 and 6: after "second-conductivity-type" or delete "+".
- b. Claim 8 lines 2 and 6: after "second-conductivity-type" or delete "+".
- c. Claim 12 lines 2 and 5: after "second-conductivity-type" or delete "+".
- d. Claim 15 lines 2 and 6: after "second-conductivity-type" or delete "+".
- e. Claim16 line15: after "conductivity-type" or delete "+"; and line 16 after "said source electrode" insert -----, wherein said second-conductivity-type area has higher dopant concentration than said second-conductivity-type layer ------
- f. Claim 18 lines 2 and 8: after "second-conductivity-type" or delete "+".
- g. Claim 23 lines 2 and 7: after "second-conductivity-type" or delete "+".
- h. Claim 27 lines 2 and 7: after "second-conductivity-type" or delete "+".
- i. Claim 30 lines 2 and 8: after "second-conductivity-type" or delete "+".

Application/Control Number: 10/810,668

Art Unit: 2814

j. Claim32 line17: after "conductivity-type" or delete "+"; and line 18 after "said source electrode" insert -----, wherein said second-conductivity-type area has higher dopant concentration than said second-conductivity-type layer ------

Page 3

2. The following is an examiner's statement of reasons for allowance: claims 2-3, 5-32 are allowed because the prior art of record is neither anticipated nor rendered obvious all the limitations of the base claims 16 and 32 including wherein said first-conductivity-type MOS output transistor further includes a second-conductivity-type area which is formed in said second-conductivity-type layer and substantially surrounds said drain electrode and said source electrode, wherein said second-conductivity-type area has higher dopant concentration than said second-conductivity-type layer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thao X. Le whose telephone number is (571) 272-1708. The examiner can normally be reached on M-F from 8:00 AM - 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wael M. Fahmy can be reached on (571) 272 -1705. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/810,668

Art Unit: 2814

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

04 Dec. 2006

THAO X. LE
PRIMARY PATENT EXAMINER